


DIPE



CRF Problem Report

The Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 09/575,580

Filing Date: 5/22/2000

Date Processed by STIC: 7/5/2001

STIC Contact: **Mark Spencer, 703-308-4212**

Nature of Problem:

The CRF (was):

(circle one) Damaged or Unreadable (or Unreadable, see attached)

Blank (no files on CRF) (see attached)

Empty file (filename present, but no bytes in file) (see attached)

Virus-infected. Virus name: _____ The STIC will not process the CRF.

Not saved in ASCII text

Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.

Did not contain a Sequence Listing. (see attached sample)

Other: _____

**PLEASE USE THE CHECKER VERSION 3.0 PROGRAM TO REDUCE ERRORS.
SEE BELOW FOR DETAILS:**

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 - 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST 25

listings, thus saving time and money

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

C:\WINDOWS>A:

General failure reading drive A
Abort, Retry, Fail?R

General failure reading drive A
Abort, Retry, Fail?

09/575,580
*screen message when STK PC
tried to read submitted file*